




# BEARING USA CORP.



## 25 mm x 52 mm x 15 mm F-239513 Differential Bearing For BMW X3/X5

Bearing No. 7205B

7205B Bearing 2D drawings and 3D CAD models

Size	25x52x15 mm
Bore Diameter	25 mm
Outer Diameter	52 mm
Width	15 mm
d	25 mm
D	52 mm
B	15 mm
C	15 mm
Angle ( ° )	40 °
a	23.9 mm
r min.	1 mm
r1 min.	0.6 mm
da min.	30.5 mm
Da max.	46.5 mm
ra max.	1 mm
Weight	0.135 Kg
(Grease) Lubrication Speed	12 000 r/min
Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0
Product Group	B00308
Enclosure	Open
Flush Ground	No



## BEARING USA CORP.

Rolling Element	Ball Bearing
Number of Rows of Balls	Single Row
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Steel
Contact Angle	40 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Inch - Metric	Metric
Long Description	25MM Bore; 52MM Outside Diameter; 15MM Width; Open; No Flush Ground; Ball Bearing; Single Row of Balls; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; C0-Medium; Steel Cage; 40 Degree; 1 (Single)
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	<a href="http://www.koyousa.com">http://www.koyousa.com</a>
Outside Diameter	2.047 Inch   52 Millimeter
Bore	0.984 Inch   25 Millimeter
Width	0.591 Inch   15 Millimeter
Bearing No.	7205B
r(min)	1
r1(min)	0.6
Cr	18.4
C0r	9.40
Cu	0.580



## BEARING USA CORP.

f0	-
Grease lub.	9600
Oil lub.	12000
a	23.9 mm
da(min)	30.5
Da(max)	46.5
ra(max)	1
(Refer.)Mass(kg)	0.135